

AMENDMENTS TO THE CLAIMS:

Kindly amend the claims as follows:

1. (Currently Amended) A system comprising:
a symbol estimation module for determining, for a multi-dimensional symbol r_k^D having a vector of complex-valued symbols and D dimensions, where D is an integer greater than 1, an estimate of the multi-dimensional symbol; and
a residual determination module coupled to the symbol estimation module for determining a residual or a function thereof for the multi-dimensional symbol responsive to the multi-dimensional symbol r_k^D and the estimate.
2. (Original) The system of claim 1 wherein the multi-dimensional symbol estimate comprises the vector s_k^D .
3. (Original) The system of claim 1 wherein the multi-dimensional symbol estimate comprises the scalar s_k .
4. (Original) The system of claim 1 wherein the residual comprises the residual vector z_k^D .
5. (Original) The system of claim 1 wherein the residual comprises the scalar z_k .
6. (Original) The system of claim 1 wherein the residual is a phase residual.
7. (Original) The system of claim 1 wherein the residual is an orthogonal component residual.
8. (Original) The system of claim 5 wherein the residual z_k is a composite residual.
9. (Original) The system of claim 1 wherein the residual determination module determines a function of the residual vector r_k^D .

10. (Original) The system of claim 9 wherein the function is the average of the individual components of the residual vector r_k^D .
11. (Original) The system of claim 1 wherein the system estimation module also determines a reliability metric R_k for the estimate of the multi-dimensional symbol, and weights the residual or function thereof using the reliability metric.
12. (Original) The system of claim 1 further comprising a phase determination module for determining a derotation phase responsive to the residual.
13. (Original) The system of claim 12 wherein the derotation phase is the vector θ_k^D .
14. (Original) The system of claim 12 wherein the derotation phase is the scalar θ_k .
15. (Original) The system of claim 1 further comprising a phase determination module for determining a phase offset estimate responsive to the residual.
16. (Original) The system of claim 15 wherein the phase offset estimate is the vector $\Delta\theta_k^D$.
17. (Original) The system of claim 15 wherein the phase offset estimate is the scalar $\Delta\theta_k$.
18. (Original) The system of claim 12 further comprising a symbol derotator for derotating each of the individual symbols in the vector r_k^D responsive to the derotation phase.
19. (Original) The system of claim 15 further comprising an accumulator for determining a derotation phase responsive to the phase offset estimate.
20. (Original) The system of claim 19 further comprising a symbol derotator for derotating each of the individual symbols in the vector r_k^D responsive to the derotation phase.

21. (Original) The system of claim 1 wherein the symbol estimation module comprises a decoder capable of producing soft estimates.
22. (Original) The system of claim 21 wherein the decoder is a log-MAP decoder.
23. (Original) The system of claim 12 wherein the phase determination module updates the derotation phase at the frequency of individual symbols in the multi-dimensional symbol.
24. (Original) The system of claim 15 wherein the phase determination module updates the derotation phase once for each multi-dimensional symbol.
25. (Original) The system of claims 12 or 15 in a carrier tracking module.
26. (Original) The carrier tracking module of claim 25 in a receiver.
27. (Original) The receiver of claim 26 in a communications device.
28. (Original) A set-top box which comprises the communications device of claim 27.
29. (Currently Amended) A system comprising:
a symbol estimation module for determining, for a multi-dimensional symbol r_k^D having a vector of complex-valued symbols and D dimensions, where D is an integer greater than 1, an estimate of the multi-dimensional symbol;
a residual determination module coupled to the symbol estimation module for determining a residual or a function thereof for the multi-dimensional symbol responsive to the multi-dimensional symbol r_k^D and the estimate; and
a phase determination module for determining a derotation phase or phase offset estimate for the multi-dimensional symbol responsive to the residual or function thereof.

30. (Original) The system of claim 29 further comprising a symbol derotator for derotating each of the individual symbols in the multi-dimensional symbol r_k^D responsive to the derotation phase.
31. (Original) The system of claim 29 further comprising an accumulator for determining a derotation phase for the multi-dimensional symbol responsive to the phase offset estimate.
32. (Original) The system of claim 31 further comprising a symbol derotator for derotating each of the individual symbols in the multi-dimensional symbol responsive to the derotation phase.
33. (Currently Amended) A system comprising:
symbol estimation means for determining, for a multi-dimensional symbol r_k^D having a vector of complex-valued symbols and D dimensions, where D is an integer greater than 1, an estimate of the multi-dimensional symbol;
residual determination means coupled to the symbol estimation means for determining a residual or a function thereof for the multi-dimensional symbol responsive to the multi-dimensional symbol r_k^D and the estimate.
34. (Currently Amended) A method comprising the steps of:
determining, for a multi-dimensional symbol comprising a vector of complex-valued symbols, an estimate of the symbol; and
determining, responsive to the estimate, a residual or a function thereof.
35. (Original) The method of claim 34 wherein the multi-dimensional symbol estimate comprises the vector s_k^D .
36. (Original) The method of claim 34 wherein the multi-dimensional symbol estimate comprises the scalar s_k .

37. (Original) The method of claim 34 wherein the residual comprises the residual vector z_k^D .
38. (Original) The method of claim 34 wherein the residual comprises the scalar z_k .
39. (Original) The method of claim 34 wherein the residual is a phase residual.
40. (Original) The method of claim 34 wherein the residual is an orthogonal component residual.
41. (Original) The method of claim 38 wherein the residual z_k is a composite residual.
42. (Original) The method of claim 34 further comprising determining a function of the residual vector r_k^D .
43. (Original) The method of claim 34 further comprising determining the average of the individual components of the residual vector r_k^D .
44. (Original) The method of claim 34 further comprising determining a reliability metric R_k for the estimate of the multi-dimensional symbol, and weighting the residual or function thereof using the reliability metric.
45. (Original) The method of claim 34 further comprising determining a derotation phase responsive to the residual.
46. (Original) The method of claim 45 wherein the derotation phase is the vector θ_k^D .
47. (Original) The method of claim 45 wherein the derotation phase is the scalar θ_k .

48. (Original) The method of claim 34 further comprising determining a phase offset estimate responsive to the residual.
49. (Original) The method of claim 48 wherein the phase offset estimate is the vector $\Delta\theta_k^D$.
50. (Original) The method of claim 48 wherein the phase offset estimate is the scalar $\Delta\theta_k$.
51. (Original) The method of claim 45 further comprising derotating each of the individual symbols in the vector r_k^D responsive to the derotation phase.
52. (Original) The method of claim 48 further comprising determining a derotation phase responsive to the phase offset estimate.
53. (Original) The method of claim 52 further comprising derotating each of the individual symbols in the vector r_k^D responsive to the derotation phase.
54. (Original) The method of claim 45 further comprising updating the derotation phase at the frequency of individual symbols in the multi-dimensional symbol.
55. (Original) The method of claim 45 further comprising updating the derotation phase once for each multi-dimensional symbol.
56. (Original) A computer readable medium tangibly embodying any of the methods of claims 34-55.
57. (Original) The computer readable medium of claim 56 which comprises a memory.
58. (Original) Circuitry which tangibly embodies any of the methods of claims 34-55.